



Budget	<30 ft		30-36 ft		36-44 ft		44-50 ft		>50 ft	
grootzeilval	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
genuaval	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
spinnakerval	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	12mm	Cupsheet	12mm	Cupsheet	14mm
kraanlijn	Cupsheet/Tasmania	6mm	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	10mm	Cupsheet	10mm
stagzeilval			Cupsheet	10mm	Cupsheet	12mm	Cupsheet	12mm	Dyna-Lite	12mm
spiboom lift	Cupsheet/Tasmania	6mm	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	10mm	Cupsheet	12mm
bakstagen										
checkstays										
achterstag										
grootschoot	Tasmania	10mm	Tasmania	12mm	Tasmania	12mm	Tasmania	14mm	Tasmania	16mm
genuaschoten	Tasmania	12mm	Tasmania	14mm	Tasmania	16mm	Tasmania	18mm	Tasmania	20mm
stagzeilschoten			Tasmania	12mm	Tasmania	14mm	Tasmania	16mm	Tasmania	18mm
spi loefschoten					Cupsheet	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
spi lijsschoten	Tasmania	10mm	Tasmania	10mm	Tasmania	12mm	Tasmania	14mm	Tasmania	16mm
traveller genua			Tasmania	8mm	Tasmania	8/10mm	Tasmania	8/10mm	Tasmania	10mm
traveller grootzeil	Tasmania	6mm	Tasmania	8mm	Tasmania	8/10mm	Tasmania	8/10mm	Tasmania	10mm
spi neerhouder	Tasmania	8mm	Cupsheet/Tasmania	10mm	Cupsheet/Tasmania	10/12mm	Cupsheet/Tasmania	12mm	Cupsheet/Tasmania	14mm
cunningham	Tasmania	6mm	Tasmania	8mm	Tasmania	8/10mm	Tasmania	10mm	Tasmania	12mm
barberhauwers	Tasmania	6mm	Tasmania	8mm	Tasmania	8mm	Tasmania	10mm	Tasmania	10mm
Lazy Jacks	TUNED 12-strand	5mm	TUNED 12-strand	5/6mm	TUNED 12-strand	5/6mm	TUNED 12-strand	6/8mm	TUNED 12-strand	6/8mm
achterstag cascade										
achterstag talie										
vang cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm
vang talie	Tasmania	6/8mm	Tasmania	10mm	Tasmania	12mm	Tasmania	14mm	Tasmania	14mm
bakstag talie										

Deze tabel geldt uitsluitend als richtlijn voor de keuze van touwwerk. Neem bij twijfel contact met ons op.


Performance
<30 ft
30-36 ft
36-44 ft
44-50 ft
>50 ft

grootzeilval	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
genuaval	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
spinnakerval	Dyna-Lite	8mm	Cupsheet	10mm	Dyna-Lite	12mm	Cupsheet	12mm	Cupsheet	14mm
kraanlijn	Cupsheet	6mm	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	10mm	Cupsheet	10mm
stagzeilval			Cupsheet	10mm	Dyna-Lite	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
spiboom lift	Cupsheet	6mm	Cupsheet	8mm	Cupsheet	10mm	Cupsheet	10mm	Cupsheet	12mm
bakstagen	Dyna-One HS	5mm	Dyna-One HS	6mm	Dyna-One HS	7/8mm	Dyna-One HS	10mm	Dyna-One HS	12mm
checkstays	Dyna-One HS	3mm	Dyna-One HS	4mm	Dyna-One HS	5mm	Dyna-One HS	5mm	Dyna-One HS	6mm
achterstag	Dyna-One HS	5/6mm	Dyna-One HS	6mm	Dyna-One HS	8/10mm	Dyna-One HS	10/12mm	RVS/rod/PBO	
grootschoot	Tasmania	10mm	Tasmania	12mm	Tasmania	12mm	Tasmania	14mm	Tasmania	16mm
genuaschoten	Tasmania	12mm	Tasmania/Dyna-Lite	14mm	Dyna-Lite	16mm	Dyna-Lite	14mm	Dyneema	16mm
stagzeilschoten			Tasmania	12mm	Tasmania/Dyna-Lite	14mm	Dyna-Lite	12mm	Dyna-Lite	14mm
spi loefschoten	Cupsheet	10mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	14mm	Dyna-Lite	14mm
spi lijsschoten	Tasmania	10mm	Dyna-Lite	10mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	14mm
traveller genua	Tasmania	6mm	Tasmania	8mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Tasmania	10mm
traveller grootzeil	Tasmania	6mm	Tasmania	8mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Tasmania	10mm
spi neerhouder	Tasmania	8mm	Cupsheet/Tasmania	10mm	Cupsheet/Dyna-Lite	10/12mm	Cupsheet/Dyna-Lite	12mm	Cupsheet/Tasmania	14mm
cunningham	Tasmania	6mm	Tasmania	8mm	Tasmania/Dyna-Lite	8mm	Tasmania/Dyna-Lite	10mm	Tasmania/Dyna-Lite	12mm
barberhauwers	Caribic/Tasmania	6/8mm	Caribic/Tasmania	6/8mm	Dyna-Lite	8mm	Dyna-Lite	8mm	Dyna-Lite	10mm
Lazy Jacks	TUNED 12-strand	5mm	TUNED 12-strand	5/6mm	TUNED 12-strand	5/6mm	TUNED 12-strand	6/8mm	TUNED 12-strand	6/8mm
achterstag cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm	Dyna-One HS	8/10mm
achterstag talie	Caribic/Tasmania	6/8mm	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	10mm	Dyna-Lite	10mm
vang cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm
vang talie	Caribic/Tasmania	6/8mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Dyna-Lite	10mm	Dyna-Lite	10mm
bakstag talie	Caribic/Tasmania	6/8mm	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	14mm

Deze tabel geldt uitsluitend als richtlijn voor de keuze van touwwerk. Neem bij twijfel contact met ons op.



Club Racing

	<30 ft		30-36 ft		36-44 ft		44-50 ft		>50 ft	
grootzeilval	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyneema	10mm	Dyneema	12mm	Dyneema	12mm
genuaval	Dyna-Lite	8mm	Dyna-Lite	10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	8/12mm
spinnakerval	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
kraanlijn										
stagzeilval			Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	12mm	Dyna-Lite	12mm
spiboom lift	Caribic	6mm	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	10mm	Dyna-Lite	10mm
bakstagen	Dyna-One HS	5mm	Dyna-One HS	6mm	Dyna-One HS	7/8mm	Dyna-One HS/PBO	10mm	Dyna-One HS/PBO	12mm
checkstays	Dyna-One HS	3mm	Dyna-One HS	4mm	Dyna-One HS	5mm	Dyna-One HS	5mm	Dyna-One HS	6mm
achterstag	Dyna-One HS	5/6mm	Dyna-One HS	6mm	Dyna-One HS	8/10mm	Dyna-One HS/PBO	10/12mm	rod/PBO	
grootschoot	Discover	8mm	Discover/Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	12mm	Dyneema	14mm
genuaschoten	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	16mm	Dyna-Lite	14mm	Dyneema	16mm
stagzeilschoten			Dyna-Lite	10mm	Dyna-Lite	14mm	Dyna-Lite	12mm	Dyna-Lite	14mm
spi loefschoten	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite	14mm	Dyna-Lite	14mm
spi lijn	Discover	6mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm
traveller genua	Caribic	6mm	Caribic/Discover	6/8mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Dyna-Lite	10mm
traveller grootzeil	Caribic	6mm	Caribic/Discover	6/8mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Dyna-Lite	10mm
spi neerhouder	Caribic	6mm	Dyna-Lite/Discover	8mm	Cupsheet/Dyna-Lite	10/12mm	Dyna-Lite	10mm	Dyna-Lite	10mm
cunningham	Caribic	6mm	Caribic/Discover	6/8mm	Tasmania/Dyna-Lite	8mm	Tasmania/Dyna-Lite	10mm	Tasmania/Dyna-Lite	12mm
barberhauwers	Caribic	6mm	Caribic/Discover	6/8mm	Dyna-Lite	8mm	Dyna-Lite	8mm	Dyna-Lite	10mm
Lazy Jacks										
achterstag cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm	Dyna-One HS	8/10mm
achterstag talie	Caribic	6mm	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	10mm	Dyna-Lite	10mm
vang cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm
vang talie	Caribic	6mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Dyna-Lite	10mm	Dyna-Lite	10mm
bakstag talie	Caribic	6mm	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	12mm	TUNED GP lijn	7/12mm

Deze tabel geldt uitsluitend als richtlijn voor de keuze van touwwerk. Neem bij twijfel contact met ons op.

Grand Prix		<30 ft		30-36 ft		36-44 ft		44-50 ft		>50 ft	
	grootzeilval	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	8/12mm
	genuaval	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	8/12mm
	spinnakerval	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm
	kraanlijn										
	stagzeilval			TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm
	spiboom lift	TUNED GP lijn	4/6mm	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/12mm
	bakstagen	Dyna-One HS	5mm	Dyna-One HS	6mm	Dyna-One HS	7/8mm	PBO		PBO	
	checkstays	Dyna-One HS	3mm	Dyna-One HS	4mm	Dyna-One HS	5mm	Dyna-One HS	5mm	Dyna-One HS	6mm
	achterstag	Dyna-One HS	5/6mm	Dyna-One HS	6mm	Dyna-One HS	8/10mm	PBO		PBO	
	grootschoot	Discover	8mm	Discover/Dyna-Lite	10mm	Dyna-Lite	12mm	Dyna-Lite/Dyneema	12mm	Dyneema	14mm
	genuaschoten	TUNED GP lijn	6/10mm	TUNED GP lijn	6/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	8/12mm	TUNED GP lijn	10/14mm
	stagzeilschoten			TUNED GP lijn	6/10mm	TUNED GP lijn	6/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	8/12mm
	spi loefschoten	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm	TUNED GP lijn	8/12mm
	spi lijsschoten	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm
	traveller genua	Caribic	6mm	Caribic/Discover	6/8mm	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/10mm
	traveller grootzeil	Caribic	6mm	Caribic/Discover	6/8mm	Dyna-Lite	8mm	Dyna-Lite	8/10mm	Dyna-Lite	10mm
	spi neerhouder	Caribic	6mm	Dyna-Lite/Discover	8mm	Dyna-Lite	8mm	Dyna-Lite	10mm	Dyna-Lite	10mm
	cunningham	Caribic	6mm	Caribic/Discover	6/8mm	Caribic/Discover	8mm	Caribic/Discover	10mm	Caribic/Discover	10mm
	barberhauwers	Caribic	6mm	Caribic/Discover	6/8mm	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/10mm
	Lazy Jacks										
	achterstag cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm	Dyna-One HS	8/10mm
	achterstag talie	Caribic	6mm	TUNED GP lijn	6/10mm	TUNED GP lijn	5/8mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/12mm
	vang cascade	Dyna-One HS	4/5mm	Dyna-One HS	5/6mm	Dyna-One HS	6/7mm	Dyna-One HS	6/7mm	Dyna-One HS	7/8mm
	vang talie	Caribic	6mm	Dyna-Lite	8mm	Dyna-Lite	8mm	Dyna-Lite	8mm	Dyna-Lite	10mm
	bakstag talie	Caribic	6mm	TUNED GP lijn	6/10mm	TUNED GP lijn	6/10mm	TUNED GP lijn	7/12mm	TUNED GP lijn	7/12mm
<i>Deze tabel geldt uitsluitend als richtlijn voor de keuze van touwwerk. Neem bij twijfel contact met ons op.</i>											

